



atom<sup>i</sup>

LED LAMPS CATALOGUE

# Lighting up **every day**

Atom's **extensive collection of quality LED Lamps** offers a solution for every application, inside and out.

evolt

QUALITY, RELIABILITY, VALUE

atom

# Delivering affordable quality

With more than 150 individual globes, the Atom LED range offers a safer, cost effective alternative to halogen, incandescent and fluorescent lighting. With dimmable, outdoor and ambient options, Atom Lamps 2021 has you covered.

## Feature products

**UV LAMPS**  
A60  
Page 7



**ANTI-INSECT**  
A60  
Page 7



**TRI-COLOUR**  
A60  
Page 7



**TRI-COLOUR**  
MR16-GU10  
Page 10



**TRI-COLOUR**  
T38  
Page 13



**HEAT LAMPS**  
R125  
Page 15



**ANTI-INSECT**  
PAR38  
Page 15



**COLOURED**  
PAR38  
Page 15



**FILAMENT DECORATIVE LAMPS**  
A60, C35, G120, G95 & ST64  
Page 16-17




atom

# Choosing the right globe

## Shape / Size



## Colour temperature



## Brightness

Traditional Incandescent (W)	Equivalent in Halogen (W)	Equivalent in CFL (W)	Equivalent in LED (W)	Approximate Brightness (lm)	Frequent Applications (By room or type)
100	70	24	15	1400	Large rooms
75	52	20	12	1000	Medium rooms
60	42	15	8	700	Small rooms
40	28	12	6	400	Floor lamps
25	18	7	4	200	Desk lamps

## Base / Cap



## A Series (A60 LED Lamps)

This range of everyday LED essentials is available in a selection of dimmable and non-dimmable options.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### A60 LED Lamps – 6W & 8W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
12473	AT9403/ES/WW	6W A60 LED Lamp E27 WW Non-Dim. Frosted	6	500	84	E27	80	3000	102 x 60
12474	AT9403/ES/CW	6W A60 LED Lamp E27 CW Non-Dim. Frosted	6	520	87	E27	80	4000	102 x 60
12475	AT9403/BC/WW	6W A60 LED Lamp B22 WW Non-Dim. Frosted	6	500	84	B22	80	3000	102 x 60
12476	AT9403/BC/CW	6W A60 LED Lamp B22 CW Non-Dim. Frosted	6	520	87	B22	80	4000	102 x 60
12478	AT9420/ES/WW	8W A60 LED Lamp E27 WW Non-Dim. Frosted	8	806	100	E27	80	3000	102 x 60
12479	AT9420/ES/CW	8W A60 LED Lamp E27 CW Non-Dim. Frosted	8	840	105	E27	80	4000	102 x 60
12480	AT9420/BC/WW	8W A60 LED Lamp B22 WW Non-Dim. Frosted	8	806	100	B22	80	3000	102 x 60
12481	AT9420/BC/CW	8W A60 LED Lamp B22 CW Non-Dim. Frosted	8	840	105	B22	80	4000	102 x 60

A60 LED Lamps – 11W & 14W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
12483	AT9426/ES/WW	11W A60 LED Lamp E27 WW Non-Dim. Frosted	11	1060	97	E27	80	3000	120 x 60
12484	AT9426/ES/CW	11W A60 LED Lamp E27 CW Non-Dim. Frosted	11	1100	100	E27	80	4000	120 x 60
12485	AT9426/BC/WW	11W A60 LED Lamp B22 WW Non-Dim. Frosted	11	1060	97	B22	80	3000	120 x 60
12486	AT9426/BC/CW	11W A60 LED Lamp B22 CW Non-Dim. Frosted	11	1100	100	B22	80	4000	120 x 60
12488	AT9429/ES/WW	14W A60 LED Lamp E27 WW Non-Dim. Frosted	14	1521	109	E27	80	3000	120 x 60
12489	AT9429/ES/CW	14W A60 LED Lamp E27 CW Non-Dim. Frosted	14	1600	115	E27	80	4000	120 x 60
12490	AT9429/BC/WW	14W A60 LED Lamp B22 WW Non-Dim. Frosted	14	1521	109	B22	80	3000	120 x 60
12491	AT9429/BC/CW	14W A60 LED Lamp B22 CW Non-Dim. Frosted	14	1600	115	B22	80	4000	120 x 60

A60 LED Lamps – 9W & 13W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18666	AT9424/ES/WW	9W A60 LED Lamp E27 WW Dimmable Frosted	9	806	90	E27	80	3000	108 x 60
18667	AT9424/ES/CW	9W A60 LED Lamp E27 CW Dimmable Frosted	9	806	90	E27	80	4000	108 x 60
18668	AT9424/ES/DL	9W A60 LED Lamp E27 DL Dimmable Frosted	9	806	90	E27	80	5700	108 x 60
18669	AT9424/BC/WW	9W A60 LED Lamp B22 WW Dimmable Frosted	9	806	90	B22	80	3000	108 x 60
18670	AT9424/BC/CW	9W A60 LED Lamp B22 CW Dimmable Frosted	9	806	90	B22	80	4000	108 x 60
18671	AT9424/BC/DL	9W A60 LED Lamp B22 DL Dimmable Frosted	9	806	90	B22	80	5700	108 x 60
18672	AT9473/ES/WW	13W A60 LED Lamp E27 WW Dimmable Frosted	13	1521	117	E27	80	3000	120 x 60
18673	AT9473/ES/CW	13W A60 LED Lamp E27 CW Dimmable Frosted	13	1521	117	E27	80	4000	120 x 60
18674	AT9473/BC/WW	13W A60 LED Lamp B22 WW Dimmable Frosted	13	1521	117	B22	80	3000	120 x 60
18675	AT9473/BC/CW	13W A60 LED Lamp B22 CW Dimmable Frosted	13	1521	117	B22	80	4000	120 x 60

Tri-Colour A60 LED Lamps – 9W & 10W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
13393	AT9483/BC/TRI	9W A60 LED Lamp B22 TRI CCT Non-Dim. Frosted	9	800, 900 & 850	89, 100 & 94.5	B22	80	3000, 4000 & 6500	110 x 60
13394	AT9483/ES/TRI	9W A60 LED Lamp E27 TRI CCT Non-Dim. Frosted	9	800, 900 & 850	89, 100 & 94.5	E27	80	3000, 4000 & 6500	110 x 60
13395	AT9484/BC/TRI	10W A60 LED Lamp B22 TRI CCT Non-Dim. Frosted	10	900, 1000 & 950	90, 100 & 95	B22	80	3000, 4000 & 6500	110 x 60
13396	AT9484/ES/TRI	10W A60 LED Lamp E27 TRI CCT Non-Dim. Frosted	10	900, 1000 & 950	90, 100 & 95	E27	80	3000, 4000 & 6500	110 x 60
13430	AT9460/BC/TRI	10W A60 LED Lamp B22 TRI CCT Dimmable Frosted	10	900, 1000 & 950	90, 100 & 95	B22	80	3000, 4000 & 6500	110 x 60
13431	AT9460/ES/TRI	10W A60 LED Lamp E27 TRI CCT Dimmable Frosted	10	900, 1000 & 950	90, 100 & 95	E27	80	3000, 4000 & 6500	110 x 60

Special A60 LED Lamps – Ultraviolet Blacklight – 12W



SKU	Item code	Product description	Wattage (W)	Wavelength (nm)	Base type	CRI	CCT (K)	Dimensions (mm)
18952	AT9479/ES/UV	12W A60 UV Blacklight LED Lamp E27 Non-Dim.	12	380 (UVA)	E27	80	25,000	120 x 60
18953	AT9479/BC/UV	12W A60 UV Blacklight LED Lamp B22 Non-Dim.	12	380 (UVA)	B22	80	25,000	120 x 60

Special A60 LED Lamps – Anti-Insect Yellow – 12W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18954	AT9479/ES/INSECT	12W A60 Anti-Insect Yellow LED Lamp E27 Non-Dim.	12	1000	84	E27	80	2200	120 x 60
18955	AT9479/BC/INSECT	12W A60 Anti-Insect Yellow LED Lamp B22 Non-Dim.	12	1000	84	B22	80	2200	120 x 60



## Candle (C35 LED Lamps)

These classic looking LED globes, often used in chandeliers, are perfect for living areas, dining rooms and bedrooms.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### Candle LED Lamps (C35) – 5W



AT9421



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18606	AT9421/SES/WW	5W Candle LED Lamp E14 WW Dimmable	5	510	102	E14	80	3000	102 x 35
18607	AT9421/SES/CW	5W Candle LED Lamp E14 CW Dimmable	5	520	104	E14	80	4000	102 x 35
18608	AT9421/ES/WW	5W Candle LED Lamp E27 WW Dimmable	5	510	102	E27	80	3000	102 x 35
18609	AT9421/ES/CW	5W Candle LED Lamp E27 CW Dimmable	5	520	104	E27	80	4000	102 x 35
18610	AT9421/BC/WW	5W Candle LED Lamp B22 WW Dimmable	5	510	102	B22	80	3000	102 x 35
18611	AT9421/BC/CW	5W Candle LED Lamp B22 CW Dimmable	5	520	104	B22	80	4000	102 x 35
18612	AT9421/SBC/WW	5W Candle LED Lamp B15 WW Dimmable	5	510	102	B15	80	3000	102 x 35
18613	AT9421/SBC/CW	5W Candle LED Lamp B15 CW Dimmable	5	520	104	B15	80	4000	102 x 35

## Fancy Round (G45 LED Lamps)

Suitable for use in pendants, chandeliers, decorative, exterior and task lighting. Wherever a smaller profile LED lamp is required.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### Fancy Round LED Lamps (G45) – 5W



AT9422



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18615	AT9422/SES/WW	5W Fancy Round LED Lamp E14 WW Dimmable	5	470	94	E14	80	3000	78 x 45
18616	AT9422/SES/CW	5W Fancy Round LED Lamp E14 CW Dimmable	5	500	100	E14	80	4000	78 x 45
18617	AT9422/ES/WW	5W Fancy Round LED Lamp E27 WW Dimmable	5	530	106	E27	80	3000	78 x 45
18618	AT9422/ES/CW	5W Fancy Round LED Lamp E27 CW Dimmable	5	530	106	E27	80	4000	78 x 45
18619	AT9422/BC/WW	5W Fancy Round LED Lamp B22 WW Dimmable	5	530	106	B22	80	3000	78 x 45
18620	AT9422/BC/CW	5W Fancy Round LED Lamp B22 CW Dimmable	5	530	106	B22	80	4000	78 x 45
18621	AT9422/SBC/WW	5W Fancy Round LED Lamp B15 WW Dimmable	5	530	106	B15	80	3000	78 x 45
18622	AT9422/SBC/CW	5W Fancy Round LED Lamp B15 CW Dimmable	5	530	106	B15	80	4000	78 x 45



## MR16 and GU10

These energy efficient LED reflector lamps are long-life with multiple colour temperature and beam angle options. Key lines also available in dimmable.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### MR16 LED Lamps – 6W



AT9498



MR16/6W/60°



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
13402	AT9498/60/TRI	6W MR16 12V LED Lamp TRI CCT Non-Dim. 60D	6	430, 500 & 460	71.5, 83 & 76.5	GU5.3	80	3000, 4000 & 6500	55 x 50

### GU10 LED Lamps – 6W



AT9493



GU10/6W/60°



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
13401	AT9493/60/TRI	6W GU10 LED Lamp TRI CCT Non-Dim. 60D	6	430, 500 & 460	71.5, 83 & 76.5	GU10	80	3000, 4000 & 6500	65 x 50

## atom<sup>i</sup>

### MR16 LED Lamps – 3W, 6W & 8W



AT9452

AT9453

AT9454



MR16/3W/36°

MR16/6W/36°

MR16/6W/60°

MR16/8W/36°



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18628	AT9452/36/WW	3W MR16 LED Lamp 36° WW Non-Dimmable	3	300	100	GU5.3	80	3000	46 x 50
18629	AT9452/36/CW	3W MR16 LED Lamp 36° CW Non-Dimmable	3	300	100	GU5.3	80	4000	46 x 50
18630	AT9452/36/DL	3W MR16 LED Lamp 36° DL Non-Dimmable	3	300	100	GU5.3	80	5700	46 x 50
18631	AT9453/36/WW	6W MR16 LED Lamp 36° WW Non-Dimmable	6	500	83	GU5.3	80	3000	46 x 50
18632	AT9453/36/CW	6W MR16 LED Lamp 36° CW Non-Dimmable	6	500	83	GU5.3	80	4000	46 x 50
18633	AT9453/36/DL	6W MR16 LED Lamp 36° DL Non-Dimmable	6	500	83	GU5.3	80	5700	46 x 50
18634	AT9453/60/WW	6W MR16 LED Lamp 60° WW Non-Dimmable	6	500	83	GU5.3	80	3000	46 x 50
18635	AT9453/60/CW	6W MR16 LED Lamp 60° CW Non-Dimmable	6	500	83	GU5.3	80	4000	46 x 50
18636	AT9453/60/DL	6W MR16 LED Lamp 60° DL Non-Dimmable	6	500	83	GU5.3	80	5700	46 x 50
18963	AT9454/36/WW	8W MR16 LED Lamp 36° WW Dimmable	8	700	87.5	GU5.3	80	3000	46 x 50
18964	AT9454/36/CW	8W MR16 LED Lamp 36° CW Dimmable	8	700	87.5	GU5.3	80	4000	46 x 50
18965	AT9454/36/DL	8W MR16 LED Lamp 36° DL Dimmable	8	780	97.5	GU5.3	80	5700	46 x 50

### GU10 LED Lamps – 6W & 7W



AT9455

AT9456



GU10/6W/36°

GU10/6W/60°

GU10/7W/36°

GU10/7W/60°



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18638	AT9455/36/WW	6W GU10 LED Lamp 36° WW Non-Dimmable	6	500	83	GU10	80	3000	54 x 50
18639	AT9455/36/CW	6W GU10 LED Lamp 36° CW Non-Dimmable	6	500	83	GU10	80	4000	54 x 50
18640	AT9455/36/DL	6W GU10 LED Lamp 36° DL Non-Dimmable	6	500	83	GU10	80	5700	54 x 50
18641	AT9455/60/WW	6W GU10 LED Lamp 60° WW Non-Dimmable	6	500	83	GU10	80	3000	54 x 50
18642	AT9455/60/CW	6W GU10 LED Lamp 60° CW Non-Dimmable	6	500	83	GU10	80	4000	54 x 50
18643	AT9455/60/DL	6W GU10 LED Lamp 60° DL Non-Dimmable	6	500	83	GU10	80	5700	54 x 50
18647	AT9456/60/WW	7W GU10 LED Lamp 60° WW Dimmable	7	700	100	GU10	80	3000	54 x 50
18648	AT9456/60/CW	7W GU10 LED Lamp 60° CW Dimmable	7	700	100	GU10	80	4000	54 x 50
18649	AT9456/60/DL	7W GU10 LED Lamp 60° DL Dimmable	7	700	100	GU10	80	5700	54 x 50
18644	AT9456/36/WW	7W GU10 LED Lamp 36° WW Dimmable	7	700	100	GU10	80	3000	54 x 50
18645	AT9456/36/CW	7W GU10 LED Lamp 36° CW Dimmable	7	700	100	GU10	80	4000	54 x 50
18646	AT9456/36/DL	7W GU10 LED Lamp 36° DL Dimmable	7	700	100	GU10	80	5700	54 x 50



## T-Stick (T38 LED Lamps)

Perfect for ceiling fans, bollards and wall lights. These LED Stick Lamps are available in cool, warm and daylight colours.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### LED Stick Lamps (T38) – 7W



AT9441



8W/BC

8W/ES



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
13371	AT9441/BC/WW	7W T38 LED Stick Lamp B22 WW Non-Dim. Frosted	7	806	115	B22	80	3000	116 x 38
13372	AT9441/BC/CW	7W T38 LED Stick Lamp B22 CW Non-Dim. Frosted	7	806	115	B22	80	4000	116 x 38
13373	AT9441/BC/DL	7W T38 LED Stick Lamp B22 DL Non-Dim. Frosted	7	806	115	B22	80	5700	116 x 38
13374	AT9441/ES/WW	7W T38 LED Stick Lamp E27 WW Non-Dim. Frosted	7	806	115	E27	80	3000	116 x 38
13375	AT9441/ES/CW	7W T38 LED Stick Lamp E27 CW Non-Dim. Frosted	7	806	115	E27	80	4000	116 x 38
13376	AT9441/ES/DL	7W T38 LED Stick Lamp E27 DL Non-Dim. Frosted	7	806	115	E27	80	5700	116 x 38

atom<sup>i</sup>

### LED Stick Lamps (T38) – 9W



AT9431



9W/BC

9W/ES



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18735	AT9431/BC/WW	9W T38 LED Lamp B22 WW Dimmable Frosted	9	880	98	B22	80	3000	116 x 38
18736	AT9431/BC/CW	9W T38 LED Lamp B22 CW Dimmable Frosted	9	880	98	B22	80	4000	116 x 38
18737	AT9431/BC/DL	9W T38 LED Lamp B22 DL Dimmable Frosted	9	880	98	B22	80	5700	116 x 38
18738	AT9431/ES/WW	9W T38 LED Lamp E27 WW Dimmable Frosted	9	880	98	E27	80	3000	116 x 38
18739	AT9431/ES/CW	9W T38 LED Lamp E27 CW Dimmable Frosted	9	880	98	E27	80	4000	116 x 38
18740	AT9431/ES/DL	9W T38 LED Lamp E27 DL Dimmable Frosted	9	880	98	E27	80	5700	116 x 38

### Tri-Colour LED Stick Lamps (T38) – 7W & 9W



AT9488

AT9489

AT9464



7W/BC

7W/ES

9W/BC

9W/ES

9W/BC

9W/ES



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
13397	AT9488/BC/TRI	7W T38 LED Lamp B22 TRI CCT Non-Dim. Frosted	7	600, 680 & 650	86, 97 & 93	B22	80	3000, 4000 & 6500	115 x 37
13398	AT9488/ES/TRI	7W T38 LED Lamp E27 TRI CCT Non-Dim. Frosted	7	600, 650 & 620	86, 93 & 88.5	E27	80	3000, 4000 & 6500	115 x 37
13399	AT9489/BC/TRI	9W T38 LED Lamp B22 TRI CCT Non-Dim. Frosted	9	700, 800 & 750	78, 89 & 95	B22	80	3000, 4000 & 6500	115 x 37
13400	AT9489/ES/TRI	9W T38 LED Lamp E27 TRI CCT Non-Dim. Frosted	9	700, 800 & 750	90, 100 & 83.5	E27	80	3000, 4000 & 6500	115 x 37
13432	AT9464/BC/TRI	9W T38 LED Lamp B22 TRI CCT Dimmable Frosted	9	700, 800 & 750	90, 100 & 83.5	B22	80	3000, 4000 & 6500	115 x 37
13433	AT9464/ES/TRI	9W T38 LED Lamp E27 TRI CCT Dimmable Frosted	9	700, 800 & 750	90, 100 & 83.5	E27	80	3000, 4000 & 6500	115 x 37



## Reflector

These best sellers are available in the full range, including coloured and anti-insect.

Eco friendly and more cost efficient to run, the Atom range of LED Reflector and PAR38 lamps are an everyday essential. Suitable for security, flood and task lighting.

Alongside our standard reflector range, our infrared heat lamps are the perfect partner to our 3-in-1 heat-fan-light combo.

- Suitable replacement for standard halogen and incandescent lamps
- Ideal options to replace reflectors and most standard bathroom heater models
- Energy efficient
- Long life
- No mercury content
- High-quality

### LED Reflector Lamps (R50 / R63 / R80) – 5W, 8W & 10W

AT9706 (R50)    AT9707 (R63)    AT9708 (R80)



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18702	AT9706/SES/WW	5W R50 LED Reflector Lamp E14 WW Non-Dim.	5	450	90	E14	80	3000	85 x 50
18703	AT9706/SES/CW	5W R50 LED Reflector Lamp E14 CW Non-Dim.	5	470	94	E14	80	4000	85 x 50
18704	AT9707/ES/WW	8W R63 LED Reflector Lamp E27 WW Non-Dim.	8	630	79	E27	80	3000	102 x 63
18705	AT9707/ES/CW	8W R63 LED Reflector Lamp E27 CW Non-Dim.	8	740	93	E27	80	4000	102 x 63
18706	AT9708/ES/WW	10W R80 LED Reflector Lamp E27 WW Non-Dim.	10	800	80	E27	80	3000	114 x 80
18707	AT9708/ES/CW	10W R80 LED Reflector Lamp E27 CW Non-Dim.	10	800	80	E27	80	4000	114 x 80
18708	AT9708/ES/DL	10W R80 LED Reflector Lamp E27 DL Non-Dim.	10	800	80	E27	80	5700	114 x 80



## atom

### PAR38 LED Lamps – 15W



AT9425



15W/ES



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18709	AT9425/ES/WW	15W PAR38 LED Lamp E27 WW Non-Dim.	15	1400	93	E27	80	3000	137 x 121
18710	AT9425/ES/CW	15W PAR38 LED Lamp E27 CW Non-Dim.	15	1450	96	E27	80	4000	137 x 121
18711	AT9425/ES/DL	15W PAR38 LED Lamp E27 DL Non-Dim.	15	1500	100	E27	80	5000	137 x 121

### Coloured PAR38 LED Lamps – 15W



AT9425



15W/RED/ES    15W/GREEN/ES    15W/BLUE/ES    15W/YELLOW/ES



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CCT (K)	Dimensions (mm)
18712	AT9425/ES/RED	15W PAR38 LED Lamp E27 Red Non-Dim.	15	400	27	E27	1000	128 x 120
18713	AT9425/ES/GREEN	15W PAR38 LED Lamp E27 Green Non-Dim.	15	500	33	E27	8000	128 x 120
18714	AT9425/ES/BLUE	15W PAR38 LED Lamp E27 Blue Non-Dim.	15	180	12	E27	100000	128 x 120
18715	AT9425/ES/YELLOW	15W PAR38 LED Lamp E27 Yellow Non-Dim.	15	1000	66.5	E27	1800	128 x 120

### R125 IR Heat Lamps – 275W & 375W



AT9709 (R125)



275W/ES    375W/ES



SKU	Item code	Product description	Wattage (W)	Base type	Dimensions (mm)
18716	AT9709/ES/HEAT/275	275W R125 Infrared Heat Lamp E27	275	E27	170 x 125
18717	AT9709/ES/HEAT/375	375W R125 Infrared Heat Lamp E27	375	E27	170 x 125





## Decorative Filament LED Lamps

This decorative range of LED globes is functional and stylish. Suitable for ambient lighting in pendants, table and floor lamps.

- Energy efficient
- Long life
- Dimmable
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### A60 LED Filament Lamps – 5W & 7W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18935	AT9476/BC/WW/C	5W A60 LED Filament Lamp B22 WW Dim. Clear	5	470	94	B22	80	2700	120 x 60
18936	AT9476/ES/WW/C	5W A60 LED Filament Lamp E27 WW Dim. Clear	5	470	94	E27	80	2700	120 x 60
18937	AT9474/BC/WW/C	7W A60 LED Filament Lamp B22 WW Dim. Clear	7	806	115	B22	80	2700	120 x 60
18938	AT9474/ES/WW/C	7W A60 LED Filament Lamp E27 WW Dim. Clear	7	806	115	E27	80	2700	120 x 60

atom

### Candle LED Filament Lamps (C35) – 5W



AT9471



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18939	AT9471/SBC/WW/C	5W Candle LED Filament Lamp B15 WW Dim. Clear	5	470	94	B15	80	2700	100 x 35
18940	AT9471/SES/WW/C	5W Candle LED Filament Lamp E14 WW Dim. Clear	5	470	94	E14	80	2700	100 x 35
18941	AT9471/SES/WW/GC	5W Candle LED Filament Lamp E14 WW Dim. Amber	5	430	86	E14	80	2700	100 x 35
18942	AT9471/BC/WW/C	5W Candle LED Filament Lamp B22 WW Dim. Clear	5	470	94	B22	80	2700	100 x 35
18943	AT9471/ES/WW/C	5W Candle LED Filament Lamp E27 WW Dim. Clear	5	470	94	E27	80	2700	100 x 35

### G120 & G95 LED Filament Lamps – 8W



AT9478 (G125)

AT9477 (G95)



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18944	AT9478/ES/WW/C	7W G125 LED Filament Lamp E27 WW Dim. Clear	7	806	115	E27	80	2700	180 x 125
18945	AT9478/ES/WW/GC	7W G125 LED Filament Lamp E27 WW Dim. Amber	7	730	104	E27	80	2700	180 x 125
18946	AT9477/ES/WW/C	7W G95 LED Filament Lamp E27 WW Dim. Clear	7	806	115	E27	80	2700	150 x 95
18947	AT9477/ES/WW/GC	7W G95 LED Filament Lamp E27 WW Dim. Amber	7	730	104	E27	80	2700	150 x 95

### ST64 LED Filament Lamps – 5W



AT9480



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18948	AT9480/ES/WW/C	5W ST64 LED Filament Lamp E27 WW Dim. Clear	5	470	94	E27	80	2700	130 x 64
18949	AT9480/ES/WW/GC	5W ST64 LED Filament Lamp E27 WW Dim. Amber	5	430	86	E27	80	2700	130 x 64
18950	AT9480/BC/WW/C	5W ST64 LED Filament Lamp B22 WW Dim. Clear	5	470	94	B22	80	2700	130 x 64
18951	AT9480/BC/WW/GC	5W ST64 LED Filament Lamp B22 WW Dim. Amber	5	430	86	B22	80	2700	130 x 64



## Capsule (G4 & G9 LED Lamps)

Low voltage LED globes for small light sources. Suitable for under cabinets, garden and step lighting.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### LED Capsule Lamps (G4 & G9) – 1.5W, 2.5W & 3W



AT9469 AT9470 AT9472



1.5W/G4



2.5W/G4



3W/G9



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18725	AT9469/G4/WW	1.5W G4 LED Capsule Lamp WW Non-Dim. Twin-pack	1.5	170	113	G4	80	3000	38 x 10
18726	AT9469/G4/CW	1.5W G4 LED Capsule Lamp CW Non-Dim. Twin-pack	1.5	170	113	G4	80	4000	38 x 10
18727	AT9470/G4/WW	2.5W G4 LED Capsule Lamp WW Non-Dim. Twin-pack	2.5	220	88	G4	80	3000	36 x 12
18728	AT9470/G4/CW	2.5W G4 LED Capsule Lamp CW Non-Dim. Twin-pack	2.5	220	88	G4	80	4000	36 x 12
18729	AT9472/G9/WW	3W G9 LED Capsule Lamp WW Non-Dim. Twin-pack	3	300	100	G9	80	3000	50 x 15
18730	AT9472/G9/CW	3W G9 LED Capsule Lamp CW Non-Dim. Twin-pack	3	300	100	G9	80	4000	50 x 15



## Pilot (ST26 LED Lamps)

Low voltage LED globes suitable for appliances including refrigerators, sewing machines and rangehoods.

- Energy efficient
- Long life
- No mercury content
- High-quality
- Lifetime 15,000 hrs

### LED Filament Pilot Lamps (ST26) – 2W



AT9482



2W/SES



2W/SBC



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
18732	AT9482/SES/WW	2W ST26 LED Filament Pilot Lamp WW E14 Non-Dim. Clear	2	230	115	E14	80	3000	60 x 26
18733	AT9482/SBC/WW	2W ST26 LED Filament Pilot Lamp WW B15 Non-Dim. Clear	2	230	115	B15	80	3000	60 x 26



atom'

Due to changes in industry standards and Atom's policy of continual product development, product specifications are subject to change without notice. Images are for illustrative purpose only. E&OE. For more information please visit our website [atomlighting.com.au](http://atomlighting.com.au)

© Evolt July 2021

evolt  
sales@evolt.com.au  
PO Box 271  
Kingsgrove NSW 1480  
[evolt.com.au](http://evolt.com.au)