

The background of the entire page is a photograph of an outdoor patio area at night. On the left, there is a large glass door or window with a black frame. To the right is a rustic stone wall. Two green, dome-shaped pendant lamps hang from the ceiling, casting a warm glow. A hanging plant is visible near the top right.

atom

LED LAMPS CATALOGUE

The Right Lamp **For Every Install**

Atom's **extensive collection of quality LED Lamps** offers a solution for every application, inside and out.

evolt



Delivering affordable quality

The Atom LED lamp range offers a safe, cost effective alternative to halogen, incandescent and fluorescent lighting. With dimmable, Tri-CCT, and ambient options, Atom has you covered with a streamlined family of LED lamps.

Featured products

TRI-COLOUR
A60
Page 6



TRI-COLOUR
MR16 & GU10
Page 10



TRI-COLOUR
T38
Page 11



HEAT LAMPS
R125
Page 12



FILAMENT DECORATIVE LAMPS
A60, C35, G95 & ST64
Page 14





Greenhouse and Energy minimum standards

The new Atom Lighting LED lamp range is fully compliant with the latest Greenhouse and Energy Minimum Standards (GEMS), a mandatory new set of rules for LED lamps sold in Australia from March 2026.

New Compliance Standards Covered

LED lamps have always carried the highest level of safety compliance as Level 3 declared articles. New rules under GEMS now require them to undergo additional performance testing, carry clearer and more accurate information, and be registered on the National Energy Rating Database. All our in-scope LED lamps meet the new requirements. Heat lamps are excluded from GEMS and are not covered.

Dimmer Compatibility

As part of the new standards, our dimmer-compatible models have been tested with a range of market-leading dimmers, helping you get a great result every time. See the list here: <https://atomlighting.com.au/lamps-dimmer-compatibility/>



Choosing the right globe

Shape / Size

A Series

Candles

G Series

GU10

MR16

PAR Series

Reflectors

Heat lamp

T Sticks

Decorative Filament

Colour temperature

2,700K

4,000K

5,000K

7,000K

Warm white

Cool white

Daylight

Brightness

Traditional Incandescent (W)	Equivalent in Halogen (W)	Equivalent in CFL (W)	Equivalent in LED (W)	Approximate Brightness (lm)	Frequent Applications (By room or type)
100	70	24	15	1400	Large rooms
75	52	20	12	1000	Medium rooms
60	42	15	8	700	Small rooms
40	28	12	6	400	Floor lamps
25	18	7	4	200	Desk lamps

Indicative comparison only, based on general industry data — not tested under GEMS.

Base / Cap

E14/SES

B15d/SBC

E27/ES

B22d/BC

MR16

GU10



A Series

(A60 LED Lamps)

This range of everyday LED essentials is available in a selection of dimmable and non-dimmable options.

- Energy efficient
- Long life
- High quality
- Lifetime 15,000 hrs

A60 LED Lamps – 4.5W & 7.4W



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15298	AT9403/BC/WW	4.5W A60 LED Lamp B22d WW Non-Dim. Frosted	4.5	470	104	B22d	80	3000	102 x 60
15299	AT9403/ES/WW	4.5W A60 LED Lamp E27 WW Non-Dim. Frosted	4.5	470	104	E27	80	3000	102 x 60
15302	AT9420/BC/WW	7.4W A60 LED Lamp B22d WW Non-Dim. Frosted	7.4	820	111	B22d	80	3000	102 x 60
15303	AT9420/ES/WW	7.4W A60 LED Lamp E27 WW Non-Dim. Frosted	7.4	820	111	E27	80	3000	102 x 60
15304	AT9420/BC/CW	7.4W A60 LED Lamp B22d CW Non-Dim. Frosted	7.4	820	111	B22d	80	4000	102 x 60
15305	AT9420/ES/CW	7.4W A60 LED Lamp E27 CW Non-Dim. Frosted	7.4	820	111	E27	80	4000	102 x 60

Tri-Colour A60 LED Lamps – 8.3W, 8.9W, 10.7W & 11.4W

SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15300	AT9483/BC/TRI	8.3W A60 LED Lamp B22d TRI CCT Non-Dim. Frosted	8.3	830	100	B22d	80	2700, 4000 & 6500	110 x 60
15301	AT9483/ES/TRI	8.3W A60 LED Lamp E27 TRI CCT Non-Dim. Frosted	8.3	830	100	E27	80	2700, 4000 & 6500	110 x 60
15308	AT9484/BC/TRI	10.7W A60 LED Lamp B22d TRI CCT Non-Dim. Frosted	10.7	1160	108	B22d	80	2700, 4000 & 6500	120 x 60
15309	AT9484/ES/TRI	10.7W A60 LED Lamp E27 TRI CCT Non-Dim. Frosted	10.7	1160	108	E27	80	2700, 4000 & 6500	120 x 60
15357	AT9473/BC/TRI	11.4W A60 LED Lamp B22d TRI CCT Dimmable Frosted	11.4	1200	105	B22d	80	3000, 4000 & 6000	120 x 60
15358	AT9473/ES/TRI	11.4W A60 LED Lamp E27 TRI CCT Dimmable Frosted	11.4	1200	105	E27	80	3000, 4000 & 6000	120 x 60
13430	AT9460/BC/TRI	8.9W A60 LED Lamp B22d TRI CCT Dimmable Frosted	8.9	1000	112	B22d	80	3000, 4000 & 6000	110 x 60
13431	AT9460/ES/TRI	8.9W A60 LED Lamp E27 TRI CCT Dimmable Frosted	8.9	1000	112	E27	80	3000, 4000 & 6000	110 x 60

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.



Candle

(C35 LED Lamps)

These classic-looking LED globes, often used in chandeliers, are perfect for living areas, dining rooms and bedrooms.

- Energy efficient
- Long life
- High quality
- Lifetime 15,000 hrs

Candle LED Lamps (C35) – 5.0W

AT9421



5W/SBC

5W/BC

5W/SES

5W/ES

TRI





SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15359	AT9421/SBC/TRI	5W Candle LED Lamp B15d TRI CCT Dimmable	5.0	470	94	B15d	80	3000, 4000 & 6000	102 x 35
15360	AT9421/BC/TRI	5W Candle LED Lamp B22d TRI CCT Dimmable	5.0	470	94	B22d	80	3000, 4000 & 6000	102 x 35
15361	AT9421/SES/TRI	5W Candle LED Lamp E14 TRI CCT Dimmable	5.0	470	94	E14	80	3000, 4000 & 6000	102 x 35
15362	AT9421/ES/TRI	5W Candle LED Lamp E27 TRI CCT Dimmable	5.0	470	94	E27	80	3000, 4000 & 6000	102 x 35

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

Fancy Round

(G45 LED Lamps)

Suitable for use in pendants, chandeliers, decorative, exterior and task lighting. Wherever a smaller profile LED lamp is required.

- Energy efficient
- Long life
- High quality
- Lifetime 15,000 hrs

Fancy Round LED Lamps (G45) – 5.1W

AT9422



5.1W/SBC

5.1W/BC

5.1W/SES

5.1W/ES

TRI





SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15364	AT9422/SBC/TRI	5.1W Fancy Round LED Lamp B15d TRI CCT Dimmable	5.1	500	98	B15d	80	3000, 4000 & 6000	78 x 45
15365	AT9422/BC/TRI	5.1W Fancy Round LED Lamp B22d TRI CCT Dimmable	5.1	500	98	B22d	80	3000, 4000 & 6000	78 x 45
15366	AT9422/SES/TRI	5.1W Fancy Round LED Lamp E14 TRI CCT Dimmable	5.1	500	98	E14	80	3000, 4000 & 6000	78 x 45
15367	AT9422/ES/TRI	5.1W Fancy Round LED Lamp E27 TRI CCT Dimmable	5.1	500	98	E27	80	3000, 4000 & 6000	78 x 45

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.





MR16 and GU10

These energy efficient LED reflector lamps are long-life, tri-CCT, and with dimmable and non-dimmable options available.

- Energy efficient
- Long life
- High quality
- Lifetime 15,000 hrs

MR16 LED Lamps – 4.9W

AT9498



4.9W/MR16

SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15368	AT9498/60/TRI	4.9W MR16 LED Lamp TRI CCT Non-Dim. 60D	4.9	550	112	MR16	80	2700, 4000 & 6500	55 x 50

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

GU10 LED Lamps – 5.1W & 5.2W

AT9493



5.2W/GU10

AT9494



5.1W/GU10

SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15370	AT9493/60/TRI	5.2W GU10 LED Lamp TRI CCT Non-Dim. 60D	5.2	450	86	GU10	80	2700, 4000 & 6500	65 x 50
15371	AT9494/60/TRI	5.1W GU10 LED Lamp TRI CCT Dimmable 60D	5.1	450	88	GU10	80	2700, 4000 & 6500	54 x 50

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

T-Stick (T38 LED Lamps)

Perfect for table and floor lamps, wall sconces and pendants, these LED stick lamps are tri-CCT and come in two base options.

- Energy efficient
- Long life
- High quality
- Lifetime 15,000 hrs

Tri-Colour LED Stick Lamps (T38) – 7.6W & 7.8W

AT9464



7.8W/BC

AT9489



7.8W/ES

AT9464



7.6W/BC


AT9489



7.6W/ES

SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15374	AT9464/BC/TRI	7.8W T38 LED Lamp B22d TRI CCT Dimmable Frosted	7.8	800	102	B22d	80	3000, 4000 & 6500	115 x 37
15375	AT9464/ES/TRI	7.8W T38 LED Lamp E27 TRI CCT Dimmable Frosted	7.8	800	102	E27	80	3000, 4000 & 6500	115 x 37
15376	AT9489/BC/TRI	7.6W T38 LED Lamp B22d TRI CCT Non-Dim. Frosted	7.6	800	105	B22d	80	3000, 4000 & 6500	115 x 37
15377	AT9489/ES/TRI	7.6W T38 LED Lamp E27 TRI CCT Non-Dim. Frosted	7.6	800	105	E27	80	3000, 4000 & 6500	115 x 37

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.



Perfect for table and floor lamps, wall sconces and pendants...



Delivering affordable quality

The Atom LED range offers a safe, cost effective alternative to halogen, incandescent and fluorescent lighting. With dimmable, outdoor, and ambient options, Atom has you covered with a streamlined family of LED lamps.

Reflector

Our LED reflectors and PAR38 lamps are high-output and energy efficient options for security, task, and bathroom lighting.

Our infrared heat lamps are the perfect replacement option for our range of IR bathroom heaters.

- Ideal options to replace reflectors and most IR bathroom heater models
- Energy efficient
- Long life
- High quality

LED Reflector Lamps (R63 / R80 / PAR38) – 8.4W, 9.9W & 14.5W



AT9707 (R63) AT9708 (R80) AT9425 (PAR38)



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15372	AT9707/ES/TRI	8.4W R63 LED Reflector Lamp E27 TRI CCT Non-Dim.	8.4	880	105	E27	80	3000, 4000, & 6000	102 x 63
15373	AT9708/ES/TRI	9.9W R80 LED Reflector Lamp E27 TRI CCT Non-Dim.	9.9	1050	106	E27	80	3000, 4000, & 6000	114 x 80
15378	AT9425/ES/TRI	14.5W PAR38 LED Reflector Lamp E27 TRI CCT Non-Dim.	14.5	1250	86	E27	80	3000, 4000, & 6000	137 x 121

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

R125 IR Heat Lamp – 275W



AT9709




275W/ES



SKU	Item code	Product description	Wattage (W)	Base type	Dimensions (mm)
18716	AT9709/ES/HEAT/275	275W R125 Infrared Heat Lamp E27	275	E27	170 x 125

Heat lamps not tested under GEMS.





Decorative Filament LED Lamps

This decorative range of LED globes is functional and stylish. Suitable for ambient lighting in pendants, table and floor lamps.

- Energy efficient
- Long life
- Dimmable
- High quality
- Lifetime 15,000 hrs

A60 LED Filament Lamps – 5.8W



AT9474



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15307	AT9474/BC/WW/C	5.8W A60 LED Filament Lamp B22d WW Dim. Clear	5.8	720	124	B22d	80	2700	120 x 60
15306	AT9474/ES/WW/C	5.8W A60 LED Filament Lamp E27 WW Dim. Clear	5.8	720	124	E27	80	2700	120 x 60

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

Candle C35 LED Filament Lamps – 3.5W



AT9471



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15363	AT9471/SES/WW/C	3.5W Candle LED Filament Lamp E14 WW Dim. Clear	3.5	470	134	E14	80	2700	100 x 35

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

ST64 LED Filament Lamps – 3.8W



AT9480



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15380	AT9480/ES/WW/GC	3.8W ST64 LED Filament Lamp E27 WW Dim. Amber	3.8	480	126	E27	80	3000	130 x 64

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.

G95 LED Filament Lamps – 6.8W



AT9477



SKU	Item code	Product description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Base type	CRI	CCT (K)	Dimensions (mm)
15381	AT9477/ES/WW/C	6.8W G95 LED Filament Lamp E27 WW Dim. Clear	6.8	980	144	E27	80	3000	150 x 95

For tested dimmer compatibility by SKU, see page 4. Data supplied testing at reference control setting of lowest CCT selectable.



atomⁱ

Due to changes in industry standards and Atom's policy of continual product development, product specifications are subject to change without notice. Images are for illustrative purpose only. E&OE. For more information please visit our website atomlighting.com.au

© Evolt, August 2026

evolt

sales@evolt.com.au
Unit 2C, 40 Barracks Rd,
Wacol QLD 4076
1300 438 658
evolt.com.au